

5040 N. 15th Avenue, Suite 307 . Phoenix AZ 85015  
 Tel 602 759 1245 . Fax 602 759 8331 . www.CyrexLabs.com

**PRACTITIONER**
**DEMOCR, DEMOCR TEST**

5040 N. 15th Avenue  
 Suite 307  
 Phoenix, Arizona 85015

**PATIENT**
**Name:** QC, KARA A7-2

**DOB:** 01/01/1900

**Gender:** F

TEST	RESULT			
	IN RANGE (Normal)	EQUIVOCAL*	OUT OF RANGE	REFERENCE (ELISA Index)
<b>Array 7 - Neurological Autoimmune Reactivity Screen **</b>				
Myelin Basic Protein	0.90			0.1-1.4
Asialoganglioside		1.28		0.1-1.4
Alpha-Tubulin + Beta-Tubulin			3.36	0.4-1.4
Cerebellar	0.88			0.2-1.4
Synapsin		0.92		0.1-1.2

\*\* All analytes are tested for IgG and IgA combined.

\* Reference ranges are calculated based on the mean  $\pm$ 2 standard deviations (SD). Results > 1 SD, and <2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results >2 SDs are considered out of range, and positive.

Dhiren Joshipura, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.